


linvisibile.it

LINVISIBILE

Zefiro system |
Sistema Zefiro

**Introduction |**
Introduzione

With the Zefiro System, Linvisible diversifies its product range, with a proposal that looks decisively to the world of furniture; the first step towards the development of design products by Linvisible brand, specifically designed to furnish residential and contract spaces.

Zefiro system is a real furnishing complement composed of pivoting panels that are light and easy to handle, for the compartmentalization of the rooms. They can be developed from floor to ceiling, or at a predefined height, rotating on a central pivot that allows a 360° movement.

The modularity of the system gives great design freedom, both for the number of panels and for the finishes applicable on them, depending on the space you want to compartmentalize.

Zefiro System is proposed in 2 versions: with an anodized outer frame system which embraces the finish -chosen from a wide range of textures-, and with a 50 mm thick wood-based panel.

Con il Sistema Zefiro, Linvisible diversifica la propria gamma prodotti, con una proposta che guarda in maniera decisa al mondo dell'arredo; il primo passo verso lo sviluppo di prodotti di design a marchio Linvisible, pensati appositamente per arredare gli spazi residenziali e contract.

Sistema Zefiro è un vero e proprio complemento d'arredo composto da ante pivotanti affiancate, leggere e maneggevoli, per la compartizione degli ambienti. Si possono sviluppare da pavimento a soffitto, o ad un'altezza predefinita, ruotando su un perno centrale che consente una movimentazione a 360°.

La componibilità del sistema lascia grande libertà progettuale, sia per il numero di ante -sia per le finiture applicabili su di esse- a seconda dello spazio che si desidera compartmentalizzare.

Sistema Zefiro è proposto in 2 versioni: con sistema di cornice perimetrale anodizzata che abbraccia la finitura, a scelta fra un'ampia gamma di textures, e con pannello a base legno, di spessore 50 mm.

Framed version |
Versione con cornice



Light Bronze anodized
aluminum frame | Metal and
leather panel finishes | Light
bronze anodized aluminum
intermediate beam

Cornice alluminio anodizzato
Light Bronze | Finiture ante
metallo e pelle | Finitura traverso
intermedio alluminio anodizzato
Light Bronze



Light Bronze anodized
aluminum frame | Printed
glass finish

Cornice alluminio
anodizzato Light Bronze |
Finitura ante vetro stampato



Light Bronze anodized
aluminum frame | Printed
glass finish

Cornice alluminio anodizzato
Light Bronze | Finitura ante
vetro stampato







Dark Brown anodized
aluminum frame | Woven
leather finish

Cornice alluminio
anodizzato Dark Brown |
Finitura anta pelle
intrecciata



Dark Brown anodized
aluminum frame |
Metal copper finish

Cornice alluminio
anodizzato Dark Brown |
Finitura ante metallo
rame traforato



Dark Brown anodized
aluminum frame |
Metal copper finish

Cornice alluminio
anodizzato Dark Brown |
Finitura ante metallo
rame traforato



Dark Bronze anodized
aluminum frame | Wood
veneer and fabric finishes

Cornice alluminio
anodizzato Dark Bronze |
Finiture ante legno e tessuto




Black anodized aluminum
frame | Transparent glass
finish with satin-polished
inserts

Cornice alluminio anodizzato
Black | Finitura ante vetro
trasparente con inserti satinati

LINVISIBILE**BREZZA ZEFIRO SYSTEM**

Framed version |
Versione con cornice

BREZZA SISTEMA ZEFIRO

Light Bronze
anodized aluminum
frame | Fabric finish

Cornice alluminio
anodizzato Light Bronze |
Finitura ante tessuto





Wood-based panel version |
Versione pannello base legno

*The Zefiro System is available
in two versions:*

Zefiro System wood-based panel version: it's composed of 50 mm thick hollow-core panels (honeycomb) made of perimetric hardwood and polished MDF sides. Panel without rebate to allow the leaf's complete rotation, predisposed for housing the lower and upper pins. Available in finishes: base coat, natural and veneered wood, lacquered (also moulded panel). Class E1, low formaldehyde emission.

Zefiro System framed version: the panels are composed of a perimetric frame in extruded aluminium 50 mm thick, which can be anodized or painted in various colours, and allows the insertion of different finishes: retro lacquered glass, special glass, mirror, leather, metal, ceramic, fabric, etc., also combinable between each other. The customer can further customize the product by requesting only the frame (supplied disassembled) in which he must insert his own finish (developed in accordance to the specifications provided by LINVISIBILE).

BREZZA | SISTEMA ZEFIRO

*Il Sistema Zefiro è realizzabile
in due versioni:*

Sistema Zefiro versione pannello a base legno: prevede ante composte da un pannello tamburato di spessore 50 mm realizzato con legno duro perimetrale su 4 lati e facce in MDF levigato. Pannello senza battuta per permettere la rotazione completa dell'anta, predisposto per l'alloggiamento dei perni inferiore e superiore. Disponibile in finiture: mano di fondo, legno impiallacciato e naturale, laccato (anche pantografato). Classe E1, bassa emissione di formaldeide.

Sistema Zefiro versione con cornice: prevede ante con cornice perimetrale in alluminio estruso di spessore 50 mm anodizzabile o verniciabile in vari colori, che ospita le diverse finiture: vetri retralaccati, vetri speciali, specchi, pelle, metallo, ceramica, tessuto, ecc., anche combinabili tra loro. Il cliente può customizzare ulteriormente il prodotto richiedendo solamente la cornice (fornita disassemblata) in cui dovrà inserire la propria finitura (prodotta su le specifiche fornite da LINVISIBILE).

Technical features

Its reduced frame offers the possibility of creating systems with a high number of panels, and can be realized in two alternative configurations:




- With UPPER BEAM, which guarantees the perfect anchoring of aluminium to the ceiling (masonry and plasterboard), supplied in parts to facilitate its transportation, and to be assembled via joints before ceiling installation. Paintable with good quality water-based paints, enamels, etc.
- With a TEMPLATE for the positioning of the pins directly to the finished ceiling.

Caratteristiche tecniche

Il telaio ridotto offre la possibilità di realizzare sistemi con un numero di ante anche elevato, ed è realizzabile in due configurazioni alternative:

- Con TRAVERSO, che garantisce il perfetto ancoraggio dell'alluminio al soffitto (muratura e cartongesso), fornito in più parti per facilitarne il trasporto, e da assemblare tramite giunti prima dell'installazione a soffitto. Verniciabile con idropitture di buona qualità, smalti, ecc.;
- Con DIMA per il posizionamento dei perni direttamente a soffitto finito.

1. **With Upper beam |**
Con Traverso
2. **With template |**
Con Dima
3. **Type of opening and panels configuration |**
Tipologia di apertura e configurazione ante



3

Dimensions and personalization

Both systems can be manufactured in a multi-panel composition, with a defined width of 300, 400 and 500 mm, in height from 1900 mm to 3500 mm.

Technical characteristics:

- On both versions; possibility of finishes with see-through motifs (after previous evaluation by the technical office);
- Available in masonry or plasterboard versions;
- Aluminium cross-piece divided into several parts to be joined on site;
- Gaps: upper 8 mm, lower 6 mm, between the panels 8 mm, in regards of the wall (if present): 4 mm;
- It is possible to supply panels of different widths in the same system.
- Mechanical / electric locks not foreseen;
- The application of handles is not foreseen.

Dimensioni e particolarità tecniche

Entrambi i sistemi sono realizzabili in composizione multianta, di larghezza definita da 300, 400 e 500 mm, in altezza da 1900 mm a 3500 mm.

Particularità tecniche:

- Su entrambe le versioni; possibilità di finiture traforate con motivi passanti (previa valutazione dell'ufficio tecnico);
- Realizzabile in versione muratura o cartongesso;
- Traverso in alluminio suddiviso in più parti da giuntare in opera;
- Sfiori: superiore 8 mm, inferiore 6 mm, tra le ante 8 mm, rispetto al muro (se presente) 4 mm;
- È possibile fornire ante di diversa larghezza nello stesso sistema;
- Non previste serrature meccaniche o elettriche;
- Non previste maniglie.

Accessories


PIVOT. The Zefiro System rotation is given by a mechanism of pins that guarantees lineal motion, neat and stylish. Together with the pivot the relevant **TEMPLATE** to drill the hole in the floor is always supplied.

MAGNETS. The leaves are equipped with magnets that allow them to be perfectly aligned with each other in the rest position.

Accessori

PERNO. La rotazione del Sistema Zefiro è determinato da un sistema di perni che garantisce un movimento lineare, pulito ed elegante. Assieme al pannello de Linvisibile Sistema Zefiro viene fornita sempre l'apposita DIMA, per la realizzazione del foro a pavimento.


MAGNETI. Le ante sono dotate di magneti che consentono alle stesse di allinearsi perfettamente fra di loro in posizione di riposo.

Zefiro pivot | perno Zefiro

METAL | METALLO

Stainless steel
Bunished
DemastralStainless steel
Delabré



Brass Delabré

Brass Delabré
OrbitaleCopper Delabré
Orbitale


Copper Delabré

Copper striped
DelabréBrass striped
DelabréCopper Bunished
Demastral

Brass DeMarea

Stainless steel
DeErosion

Brass DeErosion




Copper DeErosion

Brass
DeMastralCopper
DeMarea

FABRIC | TESSUTO




Anthemusa



Armadillo



Hippocampus



Milano



Ouranos



Vanellus

CERAMIC | CERAMICA



Calacatta oro



Grey



Ossido bruno



Ossido nero



Seta glacé



Seta gris



Seta liquorice



Seta oro

ANODIZATIONS | ANODIZZAZIONI



Silver



Light bronze



Gold bronze



Dark bronze



Black



Petroleum



Dark brown


GLASS | VETRO



Retro-lacquered 1



Retro-lacquered 2



Retro-lacquered 3



Retro-lacquered 4



Retro-lacquered 5

SPECIAL GLASSES | VETRI SPECIALI



Gradient glass 1



Gradient glass 2



Gradient glass 3



Gradient glass 4




Gradient glass 5

MIRROR | SPECCHIO



Mirrors




Antique mirror

retro-lacquered
mirror

LEATHER | PELLE




01




02



03



04



05



06



07




08



01. Black



02. Oyster



03. Grey



04. Cappuccino




06. Chocolate



07. Rose Grey




07.40



02.40



03.40



01.40




04.40




06.40




07.40/2




02.40/2




03.40/2



01.40/2



04.40/2




06.40/2



07.15



02.15



03.15



01.15




04.15



06.15




07.15/2



02.15/2



03.15/2



01.15/2



04.15/2



06.15/2

NATURAL WOOD | LEGNO NATURALE



Birch


Canaletto
Walnut

Rosewood



White Brushed Fir

UNIVERSAL BASE LAYER | MANO DI FONDO



White

VENEERED WOOD | LEGNO IMPIALLACCIATO

Ebony
10.41Ebony Ammara
10.42American walnut
10.16Balanced walnut
10.18American walnut
10.19Indian Rosewood
10.23Oak
10.61Balanced Oak
10.63Décapé Oak
10.64Icecool Oak
10.82Dark Oak
10.67Slavony Oak
10.84Thermo Oak 1
10.68Thermo Oak 2
10.85Teak
10.74Wengè 1
10.31Wengè 2
10.32Zingana
10.88

LACQUERING | LACCATURA



RAL 1000



RAL 1002




RAL 1020




RAL 2000



RAL 3003



RAL 3014




RAL 4001



RAL 5003




RAL 5009




RAL 6000




RAL 6009



RAL 6019



RAL 7023




RAL 7032




RAL 8023



RAL 8025



RAL 9001



RAL 9005

For all the finishes, except metal and leather, the texture shown are only a selection.
 For complete ranges refer to partner sites: alcantara.com, laminam.it,
fenixforinteriors.com, homapal.com, formica.com, alpiwood.com.

Pictures above are not representative of finishes with their true colours. They are to be considered as simulations suitable for graphic display.

Per tutte le finiture, ad esclusione di metallo e pelle, le texture indicate sono solo un'esemplificazione di quelle applicabili. Per le gamme complete riferirsi ai siti dei partners: alcantara.com, laminam.it, fenixforinteriors.com, homapal.com, formica.com, alpiwood.com.

Le viste delle finiture non rappresentano i materiali nella loro veridicità. Esse sono da considerarsi delle mere simulazioni adatte alla rappresentazione grafica.

LINVISIBILE BY PORTARREDO SRL
 via C. Besana, 1 - 44011 Argenta (Fe) - Italy
 +39.0532.800960 - info@linvisible.it

Copyright_Linvisible_ 2020

These documents are the exclusive property of PORTARREDO S.R.L. and are protected by Italian law as well as by international laws, treaties and agreements on intellectual property. They may not be copied, reproduced, translated or transcribed in any form in whole or in part, without the prior written authorization of PORTARREDO S.R.L. The utmost attention has been paid to these documents before printing. However, because of continuous technological development and since we are constantly engaged in the development and improvement of our product range, we reserve the right to modify specifications of any product without prior notice.

CERTIFIED COMPANY
ISO 9001

LINVISIBILE BY PORTARREDO SRL
 via C. Besana, 1 - 44011 Argenta (Fe) - Italia
 +39.0532.800960 - info@linvisible.it

Copyright_Linvisible_ 2020

Questi documenti sono di proprietà di PORTARREDO S.R.L. e sono protetti dalla legislazione italiana o altre leggi, trattati e accordi internazionali relativi alla proprietà intellettuale. È vietato copiare, riprodurre, tradurre o trasferire in qualsiasi forma, sia per intero sia parzialmente, la presente documentazione, senza previa autorizzazione scritta di PORTARREDO S.R.L. Ogni attenzione è stata riservata a questi documenti prima della stampa. Tuttavia a causa della continua evoluzione tecnologica ed essendo costantemente impegnati sul fronte dello sviluppo e miglioramento della nostra gamma prodotti, ci riserviamo il diritto di modificare senza preavviso le specifiche di qualsiasi prodotto.

linvisible.it

